

Assay results from 2019 and on-going 2020 drilling at MacDonald Mines' SPJ Gold Project

| Hole | From (m) | To (m) | From (m) | To (m) | Length (m)* | Visible gold | Gold (g/t) | Cobalt (wt. %) | Copper (wt. %) | REO (wt. % - La2O3+CeO2) |
|-----------|-----------|--------|----------|--------|-------------|--------------|------------|----------------|----------------|--------------------------|
| SM-19-001 | 8.67 | 15.88 | | | 7.21 | | 11.2 | | | |
| | Including | | 14.95 | 15.88 | 0.93 | | 77.2 | | | |
| | 25.2 | 30.71 | | | 5.51 | | 5.7 | | | |
| | Including | | 27.31 | 28.71 | 1.40 | VG | 17.2 | | | |
| | 37.84 | 50.11 | | | 12.27 | | 52.0 | | | |
| | Including | | 45.95 | 46.7 | 0.75 | VG | 361.2 | | | |
| | Including | | 46.7 | 47.85 | 1.15 | VG | 179.2 | | | |
| Including | | 47.85 | 48.9 | 1.05 | | 136.5 | | | | |
| SM-19-002 | 21.2 | 27.83 | | | 6.63 | | 9.7 | | | |
| | Including | | 23.74 | 24.72 | 0.98 | VG | 39.0 | | | |
| | 32.34 | 38.77 | | | 6.43 | | 3.4 | | | |
| | Including | | 37 | 37.93 | 0.93 | VG | 13.4 | | | |
| | 43.15 | 47.63 | | | 4.48 | | 6.0 | | | |
| Including | | 43.15 | 44.02 | 0.87 | VG | 23.2 | | | | |
| SM-19-003 | 27.88 | 34.02 | | | 6.14 | | 11.1 | | | |
| | Including | | 31.42 | 32.2 | 0.78 | VG | 38.8 | | | |
| | 127.07 | 128.87 | | | 1.80 | | 3.3 | | | |
| SM-19-004 | 11.2 | 13.2 | | | 2.00 | | 7.4 | | | |
| | 73.75 | 75.12 | | | 1.37 | | 3.0 | | | |
| | 83.91 | 84.75 | | | 0.84 | VG | 20.4 | | | |
| SM-19-005 | 49.5 | 50.33 | | | 0.83 | VG | 13.4 | | | |
| | 59.67 | 60.35 | | | 0.68 | VG | 1.8 | | | |
| | 73.13 | 74 | | | 0.87 | VG | 40.6 | | | |
| | 106.2 | 107.2 | | | 1.00 | VG | 15.2 | | | |
| SM-19-006 | 284.78 | 287.33 | | | 2.55 | | 1.2 | | | |
| | 296.21 | 300.44 | | | 4.23 | | 1.3 | | | |
| SM-19-007 | 236.2 | 237.32 | | | 1.12 | | | | | 0.14 |
| SM-19-008 | 129.16 | 130 | | | 0.84 | | 21.6 | | | |
| | 134.31 | 135.16 | | | 0.85 | VG | 4.2 | | | |
| | 154.16 | 156.36 | | | 2.20 | VG | 1.1 | | | |
| | 179.1 | 186.13 | | | 7.03 | | 0.5 | 0.01 | | |

| | | | | | | | | | |
|-----------|--|--------|--------|--------|-------|----|-------------|------|------|
| SM-19-009 | 6.19 | 10 | | | 3.81 | VG | 1.0 | | |
| | 21.8 | 22.8 | | | 1.00 | | 0.4 | 0.03 | 0.07 |
| | 24.8 | 25.8 | | | 1.00 | | 0.7 | | |
| | 35.45 | 36.47 | | | 1.02 | | 0.5 | | |
| | 134 | 135.05 | | | 1.05 | | 1.7 | 0.01 | |
| | 165.08 | 166 | | | 0.92 | | 3.4 | 0.03 | |
| SM-19-010 | 195.05 | 207.55 | | | 12.50 | | 0.5 | | |
| | Including | | 195.66 | 196.66 | 1.00 | | 2.2 | 0.04 | |
| | 244.1 | 250.62 | | | 6.52 | | 0.4 | | |
| SM-19-011 | 21.47 | 22.45 | | | 0.98 | | 1.7 | | |
| SM-19-012 | 49.7 | 54.63 | | | 4.93 | | 9.5 | | |
| | Including | | 51.5 | 52 | 0.50 | VG | 35.8 | | |
| | Including | | 54.19 | 54.63 | 0.44 | VG | 24.1 | | |
| | 71.8 | 74.77 | | | 2.97 | | 1.7 | | |
| | 89.64 | 93.5 | | | 3.86 | | 4.2 | | |
| | 105.9 | 115.33 | | | 9.43 | | 4.1 | | |
| | Including | | 109.97 | 110.87 | 0.90 | | 9.2 | 0.02 | |
| SM-19-013 | 44.65 | 48.16 | | | 3.51 | | 0.7 | | |
| SM-19-014 | 50.42 | 54.95 | | | 4.53 | | 4.3 | | |
| | Including | | 52.75 | 53.92 | 1.17 | | 8.8 | | |
| SM-19-015 | 29.2 | 30.25 | | | 1.05 | | | | 0.14 |
| | 70 | 71.18 | | | 1.18 | | | | 0.17 |
| SM-19-016 | 53.15 | 56.93 | | | 3.78 | | 0.8 | | |
| | 91.26 | 99.11 | | | 7.85 | | 12.1 | | |
| | Including | | 97.1 | 98.1 | 1.00 | | 71.1 | | |
| SM-19-017 | 68.34 | 80 | | | 11.66 | | 2.7 | | |
| | Including | | 73 | 74.37 | 1.37 | | 13.4 | | |
| SM-19-018 | 31.45 | 32.52 | | | 1.07 | VG | 4.0 | | |
| SM-19-019 | No significant value (missed zone because of drilling orientation) | | | | | | | | |
| SM-19-020 | 68.5 | 81.7 | | | 13.20 | | 0.1 | | 0.1 |
| | Including | | 69.7 | 71.9 | 2.20 | | 0.1 | | 0.19 |
| | Including | | 79.38 | 81.7 | 2.32 | | 0.2 | | 0.17 |
| SM-19-021 | 34.32 | 35.44 | | | 1.12 | | 0.3 | 0.04 | |
| | 64.98 | 67 | | | 2.02 | | | | 0.14 |

| | | | | | | | | | | |
|-----------|---|--------|--------|--------|-------|----|--------------|-------|------|--|
| SM-19-022 | 16 | 20.98 | | | 4.98 | VG | 11.0 | | | |
| | Including | | 19.99 | 20.98 | 0.99 | VG | 20.5 | | 0.06 | |
| | 23 | 25 | | | 2.00 | | 0.7 | | | |
| | 28 | 42.2 | | | 14.20 | VG | 10.8 | | | |
| | Including | | 34 | 34.95 | 0.95 | VG | 70.8 | | | |
| | Including | | 38.37 | 39.27 | 0.90 | VG | 28.7 | | | |
| | 55.36 | 56.4 | | | 1.04 | | 0.1 | 0.02 | 0.17 | |
| SM-19-023 | No significant value (intersected Sudbury diabase dyke) | | | | | | | | | |
| SM-19-024 | 11.9 | 21.21 | | | 9.31 | | 0.7 | | | |
| | Including | | 17.03 | 18.06 | 1.03 | | 2.9 | | | |
| | 156 | 166 | | | 10.00 | | 0.5 | | | |
| | Including | | 159.02 | 160.95 | 1.93 | | 1.3 | 0.017 | | |
| | 199.92 | 201.85 | | | 1.93 | | 0.1 | 0.045 | | |
| SM-19-025 | 10.26 | 14.8 | | | 4.54 | | 5.5 | | | |
| | Including | | 12 | 14.8 | 2.80 | VG | 7.7 | | | |
| | 20.5 | 22.14 | | | 1.64 | | 0.8 | 0.04 | | |
| | 87.57 | 89.5 | | | 1.93 | VG | 2.4 | | | |
| SM-20-026 | 58.98 | 78.05 | | | 19.07 | VG | 59.2 | | | |
| | Including | | 71 | 72.07 | 1.07 | | 25.1 | | | |
| | Including | | 72.07 | 73 | 0.93 | | 411.0 | | | |
| | Including | | 73 | 73.96 | 0.96 | VG | 735.5 | | | |