

Hole	From (m)	To (m)	From (m)	To (m)	Length (m)*	Visible gold	Gold (g/t)	Cobalt (wt. %)	Copper (wt. %)	REO (wt. % - La2O3 +CeO2 )
SM-19-001	8.67	15.88			7.21		11.2			
	Including		14.95	15.88	0.93		77.2			
	25.2	30.71			5.51		5.7			
	Including		27.31	28.71	1.40	VG	17.2			
	37.84	50.11			12.27		52.0			
	Including		45.95	46.7	0.75	VG	361.2			
	Including		46.70	47.85	1.15	VG	179.2			
Including		47.85	48.9	1.05		136.5				
SM-19-002	21.2	27.83			6.63		9.7			
	Including		23.74	24.72	0.98	VG	39.0			
	32.34	38.77			6.43		3.4			
	Including		37.00	37.93	0.93	VG	13.4			
	43.15	47.63			4.48		6.0			
Including		43.15	44.02	0.87	VG	23.2				
SM-19-003	27.88	34.02			6.14		11.1			
	Including		31.42	32.20	0.78	VG	38.8			
	127.07	128.87			1.80		3.3			
SM-19-004	11.20	13.20			2.00		7.4			
	73.75	75.12			1.37		3.0			
	83.91	84.75			0.84	VG	20.4			
SM-19-005	49.50	50.33			0.83	VG	13.4			
	59.67	60.35			0.68	VG	1.8			
	73.13	74.00			0.87	VG	40.6			
	106.2	107.20			1.00	VG	15.2			
SM-19-006	284.78	287.33			2.55		1.2			
	296.21	300.44			4.23		1.3			
SM-19-007	236.2	237.32			1.12					0.14
SM-19-008	129.16	130.00			0.84		21.6			
	134.31	135.16			0.85	VG	4.2			
	154.16	156.36			2.20	VG	1.1			
	179.10	186.13			7.03		0.5	0.01		
SM-19-009	6.19	10.00			3.81	VG	1.0			
	21.80	22.80			1.00		0.4	0.03	0.07	
	24.80	25.80			1.00		0.7			
	35.45	36.47			1.02		0.5			
	134.00	135.05			1.05		1.7	0.01		
	165.08	166			0.92		3.4	0.03		
SM-19-010	195.05	207.55			12.50		0.5			

	Including		195.66	196.66	1.00		2.2	0.04		
	244.1	250.62			6.52		0.4			
SM-19-011	21.47	22.45			0.98		1.7			
SM-19-012	49.7	54.63			4.93		<b>9.5</b>			
	Including		51.5	52	0.50	VG	<b>35.8</b>			
	Including		54.19	54.63	0.44	VG	<b>24.1</b>			
	71.8	74.77			2.97		1.7			
	89.64	93.50			3.86		4.2			
	105.9	115.33			9.43		<b>4.1</b>			
	Including		109.97	110.87	0.90		<b>9.2</b>	0.02		
SM-19-013	44.65	48.16			3.51		0.7			
SM-19-014	50.42	54.95			4.53		4.3			
	Including		52.75	53.92	1.17		8.8			
SM-19-015	29.2	30.25			1.05					0.14
	70.00	71.18			1.18					0.17
SM-19-016	53.15	56.93			3.78		0.8			
	91.26	99.11			7.85		<b>12.1</b>			
	Including		97.1	98.1	1.00		<b>71.1</b>			
SM-19-017	68.34	80.00			11.66		<b>2.7</b>			
	Including		73	74.37	1.37		<b>13.4</b>			
SM-19-018	31.45	32.52			1.07	VG	4.0			
SM-19-019	No significant value (missed zone because of drilling orientation)									
SM-19-020	68.50	81.70			13.20		0.1			0.1
	Including		69.7	71.9	2.20		0.1			0.19
	Including		79.38	81.7	2.32		0.2			0.17
SM-19-021	34.32	35.44			1.12		0.3	0.04		
	64.98	67.00			2.02					0.14
SM-19-022	16.00	20.98			4.98	VG	<b>11.0</b>			
	Including		19.99	20.98	0.99	VG	<b>20.5</b>		0.06	
	23.00	25.00			2.00		0.7			
	28.00	42.20			14.20	VG	<b>10.8</b>			
	Including		34	34.95	0.95	VG	<b>70.8</b>			
	Including		38.37	39.27	0.90	VG	<b>28.7</b>			
	55.36	56.40			1.04		0.1	0.02	0.17	
SM-19-023	No significant value (intersected Sudbury diabase dyke)									
SM-19-024	11.90	21.21			9.31		0.7			
	Including		17.03	18.06	1.03		2.9			
	156.00	166.00			10.00		0.5			
	Including		159.02	160.95	1.93		1.3	0.017		
	199.92	201.85			1.93		0.1	0.045		

SM-19-025	10.26	14.80			4.54		5.5		
	Including		12	14.8	2.80	VG	7.7		
	20.50	22.14			1.64		0.8	0.04	
	87.57	89.50			1.93	VG	2.4		
SM-20-026	58.98	78.05			19.07	VG	59.2		
	Including		71.00	72.07	1.07		25.1		
	Including		72.07	73.00	0.93		411.0		
	Including		73.00	73.96	0.96	VG	735.5		
SM-20-027	No significant value (intersected Sudbury diabase dyke)								
SM-20-028A	37.30	38.55			1.25		4.2		
SM-20-029	37.65	40.10			2.45		0.8		
SM-20-030	93.55	94.88			1.33		0.6		
	99.31	100.25			0.94		0.6		
SM-20-031	61.35	62.35			1.00		5.9		
	94.30	95.77			1.47	VG	12.9		
	101.34	107.10			5.76	VG	1.1		
	118.10	119.45			1.35	VG	12.8		
SM-20-032	35.04	36.85			1.81	VG	16.1		
	Including		35.54	35.54	0.50	VG	40.7		
SM-20-033	64.70	66.10			1.40	VG	15.9		
	Including		64.70	65.36	0.66	VG	24.0		
	74.20	75.31			1.11	VG	0.6		
SM-20-034	103.4	105.74			2.34		0.8		
	108.00	109.00			1.00		0.8		
	114.49	118.62			4.13	VG	3.7		
	Including		116.25	117.35	1.10	VG	10.2		
	156.50	157.30			0.80		0.9		
	170.06	172.95			2.89		0.8		
SM-20-035	132.30	137.00			4.80	VG	4.4		
	Including		135.45	136.13	0.68	VG	14.7		
SM-20-036	34.00	35.81			1.81			0.02	
	137.40	138.39			0.99		3.4		
SM-20-037	No significant results								
SM-20-038	2.77	4.27			1.50		0.9		
	130.30	132.51			2.21	VG	0.7		
SM-20-039	No significant results								
SM-20-040	Intersected diabase dyke - No significant results								
SM-20-041	11.76	16.89			5.13	VG	27.2		
	Including		11.76	12.73	0.97	VG	23.6		
			15.02	15.86	0.84	VG	34.4		
			15.86	16.89	1.03	VG	79.3		

SM-20-042	21.85	23.17			1.32			0.02	0.1	
SM-20-043	3.72	9.76			6.04	VG	<b>2.3</b>			
	Including		6.54	7.41	0.87	VG	<b>9.2</b>			
			40.00	42.05	2.05		<b>3.0</b>			
SM-20-044	No significant results									
SM-20-045	No significant results									
SM-20-046	68.92	70.15			1.23				0.08	
	79.65	80.63			0.98			0.02	0.12	
	83.09	88.17			5.08					
	110.60	133.00			22.40		<b>1.5</b>			
	Including		121.10	122.60	1.50		<b>4.8</b>			
			128.54	130.00	1.46		<b>5.2</b>			
			131.50	133.00	1.50		<b>6.8</b>			